


AMENDMENTS TO THE CLAIMS

Please replace all prior versions and listings of claims with the amended claims as follows:


1. (Currently amended) A process for producing a diaryl amine compound of the formula (I):




or a salt thereof,

said process comprising the [[step]] steps of

(1) coupling a compound of formula (II) with an amine of formula (III) in the presence of an alkali metal salt or a transition metal catalyst:



to form a compound of formula (IV):



and

(2) removing radical Y from the compound of formula (IV) in the presence of an acid:

wherein:

Ar₁ and Ar₂ are independently Q;

wherein each Q is an aryl or heteroaryl ring system optionally fused to a saturated or unsaturated 5-8 membered ring having 0-4 heteroatoms;

wherein Q is optionally substituted at one or more ring atoms with one or more substituents independently selected from halo; C₁-C₆ aliphatic optionally substituted with N(R')₂, OR', CO₂R', C(O)N(R')₂, OC(O)N(R')₂, NR'CO₂R', NR'C(O)R', SO₂N(R')₂, N=CH-N(R')₂, or OPO₃H₂; C₁-C₆ alkoxy optionally substituted with N(R')₂, OR', CO₂R'.

$C(O)N(R')_2$, $OC(O)N(R')_2$, $NR'CO_2R'$, $NR'C(O)R'$, $SO_2N(R')_2$,
 $N=CH-N(R')_2$, or OPO_3H_2 ; Ar_3 ; CF_3 ; OCF_3 ; OR' ; SR' ; $SO_2N(R')_2$; OSO_2R' ; SCF_3 ; NO_2 ;
 CN ; $N(R')_2$; CO_2R' ; $CO_2N(R')_2$; $C(O)N(R')_2$; $NR'C(O)R'$; $NR'CO_2R'$; $NR'C(O)C(O)R'$;
 $NR'SO_2R'$; $OC(O)R'$; $NR'C(O)R^2$; $NR'CO_2R^2$; $NR'C(O)C(O)R^2$; $NR'C(O)N(R')_2$;
 $OC(O)N(R')_2$; $NR'SO_2R^2$; $NR'R^2$; $N(R^2)_2$; $OC(O)R^2$; OPO_3H_2 ; and $N=CH-N(R')_2$;

R' is selected from hydrogen; C_1-C_6 aliphatic; or a 5-6 membered carbocyclic or heterocyclic ring system optionally substituted with 1 to 3 substituents independently selected from halo, C_1-C_6 alkoxy, cyano, nitro, amino, hydroxy, and C_1-C_6 aliphatic;

R^2 is a C_1-C_6 aliphatic optionally substituted with $N(R')_2$, OR' , CO_2R' , $C(O)N(R')_2$ or $SO_2N(R')_2$; or a carbocyclic or heterocyclic ring system optionally substituted with $N(R')_2$, OR' , CO_2R' , $C(O)N(R')_2$ or $SO_2N(R')_2$;

wherein Ar_3 is an aryl or heteroaryl ring system optionally fused to a saturated or unsaturated 5-8 membered ring having 0-4 heteroatoms;

wherein Ar_3 is optionally substituted at one or more ring atoms with one or more substituents independently selected from halo; C_1-C_6 aliphatic optionally substituted with $N(R')_2$, OR' , CO_2R' , $C(O)N(R')_2$, $OC(O)N(R')_2$, $NR'CO_2R'$, $NR'C(O)R'$, $SO_2N(R')_2$, $N=C-N(R')_2$, or OPO_3H_2 ; C_1-C_6 alkoxy optionally substituted with $N(R')_2$, OR' , CO_2R' , $C(O)N(R')_2$, $OC(O)N(R')_2$, $SO_2N(R')_2$, $NR'CO_2R'$, $NR'C(O)R'$, $N=C-N(R')_2$, or OPO_3H_2 ; CF_3 ; OCF_3 ; OR' ; SR' ; $SO_2N(R')_2$; OSO_2R' ; SCF_3 ; NO_2 ; CN ; $N(R')_2$; CO_2R' ; $CO_2N(R')_2$; $C(O)N(R')_2$; $NR'C(O)R'$; $NR'CO_2R'$; $NR'C(O)C(O)R'$; $NR'SO_2R'$; $OC(O)R'$; $NR'C(O)R^2$; $NR'CO_2R^2$; $NR'C(O)C(O)R^2$; $NR'C(O)N(R')_2$; $OC(O)N(R')_2$; $NR'SO_2R^2$; $NR'R^2$; $N(R^2)_2$; $OC(O)R^2$; OPO_3H_2 ; and $-N=C-N(R')_2$;

X is a leaving group;


Y is $-C(O)-O-Z$; and

Z is C_1-C_6 aliphatic, benzyl, Fmoc, $-SO_2R'$ or Q , provided that Q is not substituted with X or alkyne.



2. (Canceled)

3. (Original) The process according to claim 1, wherein the process is performed using a transition metal catalyst.
4. (Original) The process according to claim 3, wherein the transition metal catalyst comprises palladium.
5. (Original) The process according to claim 4 wherein the catalyst is PdL_n , wherein each L is independently selected from -OAc, -O-tolyl, halogen, PPh_3 , dppe, dppf, dba, and BINAP; and n is an integer from 0-4.
6. (Original) The process according to claim 3, wherein the step of coupling a compound of formula (II) with an amine of formula (III) is performed in the presence of a base.
7. (Original) The process according to claim 6, wherein the base is selected from KOtBu, NaOtBu, K_3PO_4 , Na_2CO_3 , and Cs_2CO_3 .
8. (Original) The process according to claim 1, wherein the process is performed using an alkali metal salt.
9. (Original) The process according to claim 8, wherein the alkali metal salt is selected from salts of potassium, rubidium, or cesium ions.
10. (Original) The process according to claim 9, wherein the alkali metal salt is selected from potassium carbonate or cesium carbonate.
11. (Original) The process according to claim 10, wherein the alkali metal salt is cesium carbonate.
12. (Original) The process according to claim 1, wherein X is selected from the group consisting of -Cl, -Br, -I, -F, -OTf, -OTs, iodonium, and diazo.
13. (Original) The process according to claim 1, wherein Y is Boc.

14. (Currently amended) The process according to claim 1 for producing a diaryl amine compound of the formula:



comprising the steps of (1) coupling a compound of formula 21 with an amine of formula 22 in the presence of an alkali metal salt or a transition metal catalyst, and (2) removing radical Y from the resultant compound in the presence of an acid:



wherein:

R^3 is selected from aliphatic, aryl, or aryl substituted with aliphatic, aryl, nitro, CN, CO_2R' , $CO_2N(R')_2$, OR' , NCO_2R' , $NR'C(O)N(R')_2$, and $OC(O)N(R')_2$; provided that R^3 is not t-butyl; and

G_1 , G_2 , G_3 , G_4 , and G_5 are independently selected from hydrogen, aliphatic, aryl, substituted aryl, nitro, CN, OR' , CO_2R' , $CO_2N(R')_2$, $NR'CO_2R'$, $NR'C(O)N(R')_2$, $OC(O)N(R')_2$, F, Cl, Br, I, O-Tos, O-Ms, OSO_2R' , and $OC(O)R'$; and

~~X and Y are as defined in claim 1.~~

15. (Canceled)

16. (Original) The process according to claim 14, wherein the process is performed using a transition metal catalyst.

17. (Original) The process according to claim 16, wherein the transition metal catalyst comprises palladium.

18. (Original) The process according to claim 17 wherein the catalyst is PdL_n , wherein

each L independently is selected from -OAc, -O-tolyl, halogen, PPh_3 , dppe, dppf, dba, and BINAP; and n is an integer from 0-4.

19. (Original) The process according to claim 16, wherein the step of coupling a compound of formula 21 with an amine of formula 22 is performed in the presence of a base.

20. (Original) The process according to claim 19, wherein the base is selected from KOtBu, NaOtBu, K_3PO_4 , Na_2CO_3 , and Cs_2CO_3 .

21. (Original) The process according to claim 14, wherein the process is performed using an alkali metal salt.

22. (Original) The process according to claim 21, wherein the alkali metal salt is selected from salts of potassium, rubidium, or cesium ions.


23. (Original) The process according to claim 22, wherein the alkali metal salt is selected from potassium carbonate or cesium carbonate.

24. (Original) The process according to claim 23, wherein the alkali metal salt is cesium carbonate.

25. (Original) The process according to claim 14, wherein X is selected from the group consisting of -Cl, -Br, -I, -F, -OTf, -OTs, iodonium, and diazo.

26. (Original) The process according to claim 14, wherein Y is Boc.


27. (Original) The process according to claim 1 for producing a diaryl amine compound of the formula:




44

or a salt thereof,

- 5 said process comprising the steps of (1) coupling a compound of formula 41a with an amine of formula 42a in the presence of an alkali metal salt or a transition metal catalyst, and (2) removing radical Y from the resultant compound in the presence of an acid:



41a



42a

- 10 wherein ~~X and Y~~ are as defined in claim 1 above.

28. (Canceled)

29. (Original) The process according to claim 27, wherein the process is performed using a transition metal catalyst.


30. (Original) The process according to claim 29, wherein the transition metal catalyst comprises palladium.

31. (Original) The process according to claim 30 wherein the catalyst is PdL_n , wherein

each L is independently selected from -OAc, -O-tolyl, halogen, PPh_3 , dppe, dppf, dba, and BINAP; and n is an integer from 0-4.


32. (Original) The process according to claim 29, wherein the step of coupling a compound of formula 41a with an amine of formula 42a is performed in the presence of a base.

33. (Original) The process according to claim 32, wherein the base is selected from KOtBu, NaOtBu, K_3PO_4 , Na_2CO_3 , and Cs_2CO_3 .
34. (Original) The process according to claim 27, wherein the process is performed using an alkali metal salt.
35. (Original) The process according to claim 34, wherein the alkali metal salt is selected from salts of potassium, rubidium, or cesium ions.
36. (Original) The process according to claim 35, wherein the alkali metal salt is selected from potassium carbonate or cesium carbonate.
37. (Original) The process according to claim 36, wherein the alkali metal salt is cesium carbonate.
38. (Original) The process according to claim 27, wherein X is selected from the group consisting of -Cl, -Br, -I, -F, -OTf, -OTs, iodonium, and diazo.
39. (Original) The process according to claim 27, wherein Y is Boc.
40. (Original) The process according to claim 1 for producing a diaryl amine compound of the formula:




or a salt thereof,

said process comprising the [[step]] steps of (1) coupling a compound of formula 61a with an amine of formula 42a in the presence of an alkali metal salt or a transition metal catalyst, and (2) removing radical Y from the resultant compound in the presence of an acid:



61a



42a

wherein ~~X and Y are as defined in claim 1 above.~~

41. (Canceled)

42. (Original) The process according to claim 40, wherein the process is performed using a transition metal catalyst.

43. (Original) The process according to claim 42, wherein the transition metal catalyst comprises palladium.

44. (Original) The process according to claim 43, wherein the catalyst is PdL_n , wherein

each L is independently selected from -OAc, -O-tolyl, halogen, PPh_3 , dppe, dppf, dba, and BINAP; and n is an integer from 0-4.

45. (Original) The process according to claim 42, wherein the step of coupling a compound of formula 61a with an amine of formula 42a is performed in the presence of a base.

46. (Original) The process according to claim 45, wherein the base is selected from KOtBu, NaOtBu, K_3PO_4 , Na_2CO_3 , and Cs_2CO_3 .

47. (Original) The process according to claim 40, wherein the process is performed using an alkali metal salt.

48. (Original) The process according to claim 47, wherein the alkali metal salt is selected from salts of potassium, rubidium, or cesium ions.


49. (Original) The process according to claim 48, wherein the alkali metal salt is selected from potassium carbonate or cesium carbonate.

50. (Original) The process according to claim 49, wherein the alkali metal salt is cesium carbonate.

51. (Original) The process according to claim 40, wherein X is selected from the group consisting of -Cl, -Br, -I, -F, -OTf, -OTs, iodonium, and diazo.



52. (Original) The process according to claim 40, wherein Y is Boc.

53. (Original) The process according to claim 40 for producing a diaryl amine compound of the formula:



or a salt thereof,

said process comprising the [[step]] steps of (1) coupling a compound of formula 61 with an amine of formula 42 in the presence of an alkali metal salt or a transition metal catalyst, and (2) removing the Boc group from the coupled amine in the presence of an acid:




54. (Canceled)

55. (Original) The process according to any of claims 53 or 54 wherein the process is performed using cesium carbonate.

56. (Original) The process according to claim 54 further comprising the steps of:

- (a) reacting the compound of formula 63 with a base; and
- (b) acidifying the reaction mixture formed in step (a) to produce a compound of the formula 75:




75

57. (Original) The process according to claim 56 wherein the base in step (a) is NaOH.

58. (Original) The process according to claim 56 wherein the acid in step (b) is HCl.

59. (Original) The process according to claim 56 further comprising the steps of:

- (c) reacting the compound of formula 75 with diphosgene;
- and
- (d) treating the reaction mixture formed in step (c) with NH_4OH to produce a compound of the formula 76:



76

60. (New) The process according to claim 1, wherein the acid is selected from the group consisting of HCl, HBr, HI and an organic acid.

61. (New) The process according to claim 14, wherein the acid is selected from the group consisting of HCl, HBr, HI and an organic acid.

62. (New) The process according to claim 27, wherein the acid is selected from the group consisting of HCl, HBr, HI and an organic acid.

63. (New) The process according to claim 40, wherein the acid is selected from the group consisting of HCl, HBr, HI and an organic acid.

64. (New) The process according to claim 53, wherein the acid is selected from the group consisting of HCl, HBr, HI and an organic acid.